



MASSIVE HIGH PERFORMANCE AUDIO

**CES
2012**

SUBWOOFERS

RHINO SERIES

10,000 Watt Mega SPL Subwoofer



- Hand treated paper cone
- 4 Inch Quad 1 ohm voice coils
- Triple layer surround
- 600oz Flux Ferrite Y40 magnets
- 14 AWG pure copper hard wired terminals
- Heavy die-cast alloy basket
- Pure copper embedded tinsel leads
- 70mm X-Max peak to peak
- Matching aluminum trim ring
- Re-cone-able
- CEA 2031 Certified
- 101.1 dB sensitivity

All "RHINO" Woofers are each skillfully hand assembled and use only the best components. The "RHINO" uses a reinforced pressed paper cone with hand stitched triple layer surround. Pure 14 AWG Copper Speaker Wire is then hard wired (no terminals) to a Quad 1 Ohm 4 Inch Voice Coil that's bolted down with "three" Nomax spiders. A surgically cut custom aluminum basket holds the "RHINO" in place and can take up to 10,000 Watts of power. Crated in a custom birch box and weighing in at over 112lb pounds the Massive Audio "RHINO" is truly a beast!

MODEL	RMS POWER	MAX POWER	IMPEDANCE	SENSITIVITY	MAGNET
Rhino15	5,000w	10,000w	1+1+1+1	101.1 dB	600 oz

HIPPO SERIES (ARRIVING 2012)

Deep Cycle / Ultra High Power Subwoofers

Image may change upon production



- Light weight / heavy duty woven fiber / non-pressed paper cone
- 3 Inch Dual 2 Ohm voice coils
- 405oz Flux Ferrite Y40 Magnets
- Push pin banana style terminals
- Heavy die-cast alloy baskets
- 33mm Peak to Peak X-Max
- CEA 2031 Certified
- 97 dB Sensitivity

The new Massive Audio "Hippo Series" will knock you off your feet; or possibly out of your seat! The Hippo will handle at least 5,000 Watts of Peak Power and is tuned for sound quality and deep bass. While the Rhino is made for SPL screaming, the Hippo will be a musical ground pounder that will hit those deep lows with gut punching power.

MODEL	RMS POWER	MAX POWER	IMPEDANCE	VOICE COIL	X-MAX	MAGNET	CONE
Hippo 122	2500w	5000w	Dual 2	3"	33mm	405oz	Woven Fiber
Hippo 152	2500w	5000w	Dual 2	3"	33mm	405oz	Woven Fiber



TORO SERIES (ARRIVING 2012)

Deep Cycle / High Power / Sound Quality Subwoofers

The new Massive Audio "Toro Series" is built for chest thumping bass and is designed to take high amounts power while limiting distortion for exceptional clarity and tonality. These subs boast 65mm voice coils for greater power handling, 5 way binding posts, push or banana nickel plated terminals, Paper / Woven Fiber cones and powder coated thick aluminum cast baskets! Available in 2012 these subwoofers will be the choice for audio enthusiasts that require extended playing time with a woofer that is "strong like bull!"



MODEL	RMS POWER	MAX POWER	IMPEDANCE	VOICE COIL	X-MAX	MAGNET	CONE
Toro 104	1200w	2,400w	Dual 4	2.5"	25mm	155oz	Woven Fiber
Toro 124	1200w	2,400w	Dual 4	2.5"	25mm	155oz	Woven Fiber
Toro 122	1200w	2,400w	Dual 2	2.5"	22mm	155oz	Woven Fiber
Toro 154	1200w	2,400w	Dual 4	2.5"	25mm	155oz	Woven Fiber

KILO SERIES (ARRIVING 2012)

Deep Cycle / Sound Quality Subwoofers

The new Massive Audio "Kilo Series" are heavy cast basket subwoofers designed to take up to 1000 watts of power while limiting distortion for exceptional clarity and tonality. The "Kilo" Series subwoofers provide super efficient low frequencies, ultra low distortion with "MASSIVE" quality all without playing by the normal rules of price versus quality. Available in 2012 these subwoofers will be the choice for audio enthusiasts that require extended playing time with a woofer that is built to deliver.



MODEL	RMS POWER	MAX POWER	IMPEDANCE	VOICE COIL	X-MAX	MAGNET	CONE
Kilo 104	600w	1000w	Dual 4	2"	22 mm	100oz	Woven Fiber
Kilo 124	600w	1000w	Dual 4	2"	22 mm	100oz	Woven Fiber
Kilo 122	600w	1000w	Dual 2	2"	18 mm	100oz	Woven Fiber

REBEL SERIES

Deep Cycle / Sound Quality Subwoofers

Go rouge with Massive Audio's Rebel Series Woofers. Now enjoy Massive Audio quality at an amazing price point normally found on competitor's entry level woofers. Some of the upgrade features include a Dual 4 Ohm 2" CCAW voice coil on an aluminum former with reinforced neck joint, 5 way binding posts, push or banana nickel plated terminals, twin poly-cotton dual roll spiders with woven round tinsel leads, wave roll surround and FEMM engineered motor plates with white zinc finish. All "Rebel" Series woofers have poly glass fiber capped cone, powder coated stamped steel baskets and 65oz high ferrite magnets. The "Rebel" Series subwoofers provide super efficient low frequencies, ultra low distortion with "MASSIVE" quality all without playing by the normal rules of price versus quality.



MODEL	RMS POWER	MAX POWER	IMPEDANCE	SEALED BOX	PORTED BOX	SENSITIVITY
R 104	500w	1000w	Dual 4	.75 ft ³	1.28 ft ³	94.5 dB
R 124	500w	1000w	Dual 4	1.0 ft ³	2.2 ft ³	95.8 dB
R 122	500w	1000w	Dual 2	1.0 ft ³	2.2 ft ³	94.6 dB
R 154	500w	1000w	Dual 4	1.8 ft ³	2.9 ft ³	98 dB

VOLT SERIES

Sound Quality Subwoofers

The New Massive Audio Volt Series subwoofers use a custom steel basket that surrounds a poly mica cone in a woven glass fiber dust cap. In the center of this cone is the 1.5" voice coil with aluminum former and reinforced neck joint. It is attached by a pro audio 1" N-Roll polyester foam surround. All this helps the 4 layer V.C. pound its way through a 50oz high intensity grade ferrite ring with a FEMM linear flux saturated motor design which helps control motion and reduces distortion. This combination and black E-coated magnetic plates help draw heat away from voice coil while producing volumes of kick ass bass! Volt Series woofers will have a slightly bigger motor and greater power handling than its V Series predecessor and are offered in multiple voice coil configurations for installation flexibility.



MODEL	RMS POWER	MAX POWER	IMPEDANCE	VOICE COIL	X-MAX	SURROUND	MAGNET
V 84	250w	500w	Dual 4	1.5"	15mm	1" N-Roll	50oz
V 82	250w	500w	Dual 2	1.5"	15mm	1" N-Roll	50oz
V 104	300w	600w	Dual 4	1.5"	15mm	1" N-Roll	50oz
V 102	300w	600w	Dual 2	1.5"	15mm	1" N-Roll	50oz
V 124	300w	600w	Dual 4	1.5"	15mm	1" N-Roll	50oz
V 122	300w	600w	Dual 2	1.5"	15mm	1" N-Roll	50oz
V 12S4	300w	600w	Single 4	1.5"	15mm	1" N-Roll	50oz

V BOX 12 SERIES STAGE II

Single Ported Pre-Loaded Sound Quality Subwoofers

The VB12 has a 12 inch 600 Max Power CEA 2006 compliant subwoofer mounted in a beautiful trumpet ported, black carpeted box with a Massive Audio embroidered logo. Massive Audio "VB 12 II" woofer boxes are made of 3/4" MDF top/sides with a 1.2" dual layered MDF face plate for ultra low box residence. V Boxes employ internal/external contoured metal "trumpet ports" for low port noise and metallic rod grills to protect the cones. With a sloped back wall design for hatch backs and fold down rear split seating both models are ready to "Fit & Hit" the road.



MODEL	RMS POWER	MAX POWER	IMPEDANCE	PORTED BOX	SENSITIVITY	MAGNET
VB12 II	300w	600w	4 Ohm	1.90 ft ³	92 dB	45oz

VBD 12 SERIES II STAGE

Dual Ported Pre-Loaded Sound Quality Subwoofers

The VBD12 has twin 12 inch 1200 Max Power CEA 2006 compliant subwoofers mounted in a dual trumpet ported, black carpeted box with a Massive Audio embroidered logo. Massive Audio "VBD 12 II" woofer boxes are made of 3/4" MDF top/sides with a 1.2" dual layered MDF face plate for ultra low box residence. Just like its little brother the V Dual Boxes employ dual internal/external contoured metal "trumpet ports" for low port noise and metallic rod grills to protect the cones.



MODEL	RMS POWER	MAX POWER	IMPEDANCE	PORTED BOX	SENSITIVITY	MAGNET
VBD 12 II	600 w	1200w	2 Ohm	3.57 ft ³	92 dB	45oz

AMPLIFIERS

NANO BLOCK SERIES

Full Range A/B Multi Channel Amplifiers

Massive Audio has established itself as a true leader in "Micro Circuit Topology" by fusing micro technology, intelligent design and precision assembly in creating "Nano Block" series power amplifiers for 2012! These seven fully compliant CEA 2006 rated amplifiers are designed to fit into restrictive or limited spaces while still delivering staggering amounts of power! "Nano Block" models have one of the smallest installation foot prints vs. power in today's industry.

Everything you would expect in a state of the art power amplifier is here in "Nano Block". 1 Band Parametric EQ, Adjustable Q Control (Nx3), Adjustable Hi/Lo 24dB X-Overs, 24dB sub harmonic filter, Dual sided mill spec PCB's, Protection circuits for short circuit/overheating and Low Voltage, Ultra efficient Nano Technology power supplies and endless possible installation scenarios make Nano "The Best Deal on the Block".

MODEL	CHANNELS	RMS @ 4Ω	MAX	MIN Ω	FREQ. RESPONSE	DIMENSIONS
Nx2	2	120w x 2	480w x 1	2 Ω	10Hz ~ 25 KHz	2.1" x 5.5" x 7.2"
Nx3	3	120w x2 + 800w x1	480w x 1 + 1600	2 Ω + 1 Ω	15Hz ~ 25 KHz	2.1" x 5.5" x 13.3"
Nx4	4	100w x 4	400w x 2	2 Ω	15Hz ~ 25 KHz	2.1" x 5.5" x 10.3"
Nx5	5	120w x4 + 800w x1	480 x 2 + 1600	2 Ω + 1 Ω	20Hz ~ 25 KHz	2.1" x 5.5" x 15"



NANO BLOCK SERIES

Mono Block Class D Amplifiers

Nano Block Amplifiers deliver one of the most powerful amplifiers per foot print in today's industry and have been taking Massive Audio to new levels in ingenuity and innovation. Precise efficient heat sink design plus "Micro Circuit Topology" allows the mono block 1600W N2 to be only 7.2 inches long! The 2800W N3 is 10.2" and the 4000W N4 is only 13.4 inches long! Size does matter and Nano Block truly delivers!

All seven "Nano Block" aluminum heat sinks are anodized in a "Raven Black" finish that's only 5.5" wide and 2.1" tall! You can combine all models by stacking or using inline mounting combinations. Just use one of the several state of the art custom CNC machined mounting accessories, that lets you bolt together any mounting combination that you can imagine.

MODEL	CHANNELS	RMS @ 1Ω	MAX	MIN Ω	EFFICIENCY	DIMENSIONS
N2	1	800w	1600w	1 Ω	>80%	2.1" x 5.5" x 7.2"
N3	1	1400w	2800w	1 Ω	>80%	2.1" x 5.5" x 10.3"
N4	1	2000w	4000w	1 Ω	>80%	2.1" x 5.5" x 13.4"



NANO BLOCK CONNECTORES

End Caps & Connectors for Nano Block Amplifiers

"Space" may be vast in Star Trek but on Earth, in a car, it's a premium. So the connectors for the Nano Block Series Amplifiers have been color matched and CNC machined to 0.01 mm precision tolerance. This lets you bolt together any mounting combination that you can imagine. You can stack, line array or vertical mount any combinations of any Nano Blocks with these attachments.



AMPLIFIERS

D BLOCK SERIES

Mono Block & Full Range Amplifiers

Don't be fooled by their cosmopolitan looks. The Digital Block Series Amplifiers provide Massive amounts of Power in a stylish and surprisingly small heat sink.

These CEA 2006 Certified amplifiers boast advanced Digital Power Supply Switching, Bridgeable RCA Connections, Matched MOSFET "N" Drive outputs with an advanced Six Way Protection. Other features include: Nickel Plated Connectors / 24 dB Low Pass Crossovers with an adjustable range of 40Hz - 220Hz / Adjustable Low Pass 18dB Sub Harmonic Filter with a range of 10Hz - 50Hz. The D8000 & D16000 also have an adjustable one band parametric EQ with a center frequency range of 30-80 Hz. Second is a variable bass "Q" control that will allow you to adjust the frequency bell curve to pick the precise octave range of the bass boost. All of these features are mounted in a beautiful brushed aluminum "finless" heat sink with a 1/4" milled top plate bolted down with "hex bolts".

The four cornered hex bolts unscrew to reveal mounting tubes that allows the installer to bolt down the amp for a razor clean installation. Top it off with a soft blue center logo glow with hundreds of "micro" LEDs. The Massive Audio "D" Block Series combines "Style, Form, Function and Performance"

MODEL	CHANNELS	RMS	MAX	MIN Ω	FREQ. RESPONSE	DIMENSIONS
D 8004	4	120w x 4	480w x 2	2 Ω	15Hz ~ 25 KHz	2.1" x 6.5" x 10.5"
D 1200	1	600w	1200w	1 Ω	10Hz ~ 180 Hz	2.1" x 6.5" x 7.7"
D 2400	1	1200w	2400w	1 Ω	10Hz ~ 180 Hz	2.1" x 6.5" x 11.2"
D 3600	1	1800w	3600w	1 Ω	10Hz ~ 180 Hz	2.1" x 6.5" x 14.8"
D 8000	1	4000w	8000w	0.5 Ω	10Hz ~ 180 Hz	2.1" x 6.5" x 19.9"
D 16000	2	8000w	16000w	1 Ω	10Hz ~ 180 Hz	4.2" x 6.5" x 19.9"



D 800.4



VOLT SERIES

Full Range A/B Multi Channel & Mono Amplifiers

Introducing the Volt Series Amplifiers by Massive Audio. These full range A/B amplifiers will deliver extremely clean power in 2, 4 and mono configurations. The Volt Series offers advanced protection for ultra reliability as well as a high level input jack on the amplifier for OEM integration without additional hardware. Other features include bass boost, 24dB crossovers, high/low pass & dual sided mill spec PCB's. The V 1000.1 is a monoblock amplifier utilizing full range A/B class technology for a wide range of frequency needs including mids and highs as well as subwoofers. Massive puts the V in volt with this new series of high performance amplifiers.

MODEL	CHANNELS	RMS	MAX	MIN Ω	FREQ. RESPONSE	DIMENSIONS
V 1000.1	1	455w x 1	1000w x 1	2 Ω	10Hz ~ 25KHz	1.9" x 7.8" x 9.3"
V 500.2	2	80w x 2	500w x 1	2 Ω	10Hz ~ 25KHz	1.9" x 7.8" x 11.8"
V 1000.4	4	80w x 4	500w x 2	2 Ω	10Hz ~ 25KHz	1.9" x 7.8" x 11.8"



THE DRAGON
D16000 "AKA" The Dragon



SPEAKERS

DX SERIES SPEAKERS

Coaxials

Massive Audio is expanding into the fast growing factory speaker replacement market. The new DX series speakers are made to replace factory OEM speakers and will represent the entry level for Massive Audio's co-axial mid ranges for 2012. High sensitivity and universal fit is a must when replacing factory speakers. Also since you have limited power from most factory head-units efficiency and sound quality are the watchwords. The DX line will excel with low power but will also be-able to take a modest amount being rated to perform very well with up to 60 watts RMS! True performance at a modest price!

MODEL	SIZE	RMS POWER	PEAK POWER	TWEETER	MOUNTING DEPTH	SENSITIVITY	FREQ. RESPONSE
DX 4	4"	30w	150w	13mm Dome	1.61" / 41mm	90.5 dB	95Hz - 20KHz
DX 5	5.25"	40w	180w	13mm Dome	1.78" / 45.3mm	90.5 dB	80Hz - 20KHz
DX 6	6.5"	50w	220w	13mm Dome	1.96" / 50mm	92.2 dB	75Hz - 20KHz
DX 46	4X6"	40w	180w	13mm Dome	1.66" / 42.2mm	90.1 dB	95Hz - 20KHz
DX 57	5X7"	50w	220w	13mm Dome	2.04" / 52mm	92.5 dB	65Hz - 20KHz
DX 693	6X9"	60w	250w	50mm + 13mm	2.95" / 74.9mm	93.6 dB	60Hz - 20KHz

"Image may change upon production"



LX SERIES SPEAKERS

Coaxials

Introducing for 2012 the New LX Series line of high powered coaxial speakers from Massive Audio. Ultra Light PP Injected Cones, Supple Surgical Rubber Surrounds, Pure German Silk 20mm swivel dome tweeters, 25-35mm ASV Voice Coils, stamped steel baskets with precision calibrated mounting depths down to the millimeter insure these transducers deliver Power, Luxury and Performance through Technology. All seven models are CEA 2006 compliant at up to 500 Watts Max with high sensitivity. All seven models range in size to fit just about any foreign or domestic automobile manufacture on this planet. When you add all this technology up it will be easy to hear the difference that makes the LX Series speakers truly a Massive experience.

MODEL	SIZE	RMS POWER	PEAK POWER	TWEETER	MOUNTING DEPTH	SENSITIVITY	FREQ. RESPONSE
LX 4	4"	50w	220w	25mm Swivel	2.18" / 55.5mm	87.1 dB	80Hz - 20KHz
LX 5	5.25"	60w	250w	25mm Swivel	2.22" / 56.5mm	91.6 dB	72Hz - 20KHz
LX 6	6.5"	75w	280w	25mm Swivel	2.4" / 61.3mm	90.4 dB	58Hz - 20KHz
LX 46	4X6"	60w	250w	25mm Swivel	2.24" / 57mm	90.7 dB	95Hz - 20KHz
LX 57	5X7"	70w	300w	25mm Swivel	2.22" / 56.6mm	91.5 dB	58Hz - 20KHz
LX 69	6X9"	80w	320w	25mm Swivel	3.37" / 85.7mm	90.1 dB	70Hz - 20KHz
LX 8	8"	120W	500W	35mm Swivel	3.4" / 87.2mm	93.5 dB	50Hz - 20KHz



SLIM SERIES STAGE II SPEAKERS

Components / Coaxials

"Slim Is In"

Now obtain Massive power handling without sacrificing performance in those shallow mounting locations. Series highlights include 30mm high power voice coils, Thick cast fiberglass reinforced baskets, Santopren rubber surrounds, Custom Poly Talc injected cones and a true center mounted point source tweeter on the SX models for phase correct playback. The SK Stage II tweeters feature a 25mm soft silk dome material that delivers smooth highs, wide dispersion characteristics and a pro audio 18dB crossover. The slim compact size of Ultra High Powered Neodymium magnets allow the SX and SK II models to be easily installed in even the shallowest spaces.

(Co-Axial)

MODEL	RMS POWER	PEAK POWER	TWEETER	VOICE COIL	MOUNTING DEPTH
SX 5	50w	175w	Nomax	Aluminum	1.6"
SX 6	60w	210w	Nomax	Aluminum	1.66"

(Component)

MODEL	RMS POWER	PEAK POWER	TWEETER	VOICE COIL	MOUNTING DEPTH
SK 5 II	90w	315w	25mm Silk	Aluminum	1.6"
SK 6II	100w	350w	25mm Silk	Aluminum	1.66"

RK/RX SERIES SPEAKERS

Components / Coaxials

Massive Audio has combined top performance with unsurpassed value with the new RK Series high power component and coaxial speakers! Careful inspection will reveal our newly designed die cast aluminum baskets, Glass fiber cones, 28 mm flush, angle or surface tweeters, custom tooled tall/narrow rubber surrounds and our powerful 35 oz magnets that provide very deep & powerful playback. These systems feature computer optimized 12dB custom crossovers with attenuation lamps and audiophile grade capacitors insuring smooth and powerful driver transition up to a staggering 750 Watts of peak power.

MODEL	RMS POWER	PEAK POWER	TWEETER	SENSITIVITY	MAGNET	FREQ. RESPONSE	MOUNTING DEPTH
RX 6	200w	500w	25mm Silk	94 dB	Y 35oz	50hz - 20Khz	2.9"
RK 6	250w	600w	28mm Silk	94 dB	Y 35oz	50hz - 20Khz	2.9"

CKX SERIES SPEAKERS

Components / Convertibles

CKX represents the care to detail and due diligence in listening to what consumers were saying about CK Classic, while still making the Carbon Fiber CKX a relatively inexpensive component kit that rival others costing many times more. The CKX has upgraded the crossover module "18 dB Phase Coherent Linkwitz-Riley Crossover Network" that allows for precise tuning. Another unique design element of these components is an interchangeable face plug that allows the tweeter to be screwed directly to the midrange converting the CKX to a co-axial system for even more installation flexibility. All this makes CKX one of the richest sounding, high powered mid-range speakers on the market. More power & improved features... Now that's Massive!

MODEL	RMS POWER	PEAK POWER	TWEETER	VOICE COIL	SPL	FREQ. RESPONSE	MOUNTING DEPTH
CK 6X	200w	500w	28mm Silk	35mm Kapton	93dB	38Hz - 21 kHz	2.75"
CK 69X	250w	600w	28mm Silk	35mm Kapton	93dB	38Hz - 21 kHz	2.95"



AK & G SERIES WIRE KITS

0 AWG - 8 AWG Wiring Packages

Protect your investment! AK and G Series Premium "Hook Up's" are the Massive Audio solution to eliminating the weak link. Massive Audio wiring kits greatly simplify the process of installing your amplifier by providing everything you need right in one kit. Unlike most manufacturers we supply all the necessary wire, fuses and terminals in one package. All Massive wire is comprised of Oxygen Free Pure Copper Cable (No Mixed Metal or CCA) and the signal cables use custom molded RCA plugs insuring the highest conductivity. The G8, G4, AK8 and AK 4 supply all necessary power wiring accessories for competition-quality installation of a single amplifier, including a pre-wired waterproof fuse holder and remote turn-on wire. The AK 0 is a one package solution for a zero AWG amplifier installation including an AGU Fuse Distribution Block and 2 60 Amp AGU Fuses for 0 AWG connectivity with twisted pure copper silver tined wire.



MODEL	POWER/GROUND	SPEAKER	TURN ON	RCA	FUSE
AK 8	8 AWG	16 AWG	18 AWG	17 FT.	60A
AK 4	4 AWG	16 AWG	18 AWG	17 FT.	150A
AK 0	0 AWG	16 AWG	18 AWG	17 FT.	300A
G 8	8 AWG	16 AWG	18 AWG	17 FT.	60A
G 4	4 AWG	16 AWG	18 AWG	17 FT.	150A

HIGH PERFORMANCE TWEETERS

Reach new highs with our CT Series Transducers

Massive Audio's CT Series featuring Neodymium magnets and 12dB crossovers are now available in 3 Ferro cooled flavors. The CT 1a is an aluminum dome while the CT 1 and CT 2 are silk dome tweeters. All of these high frequency transducers have flexible mounting options including surface or flush mounts. The CT 1 and CT 1a are both 25mm while the CT2 is 28mm.



MODEL	RMS	MAX	TWEETER	SPL	FREQ. RESPONSE
CT 1	60w	110w	Silk	91 dB	1.4Hz - 23kHz
CT 1a	60w	120w	Aluminum	92 dB	1.4Hz - 25kHz
CT 2	80w	160w	Silk	91 dB	1.4Hz - 20kHz

OEM SOLUTIONS

FLATLINE II - DON'T LOOSE YOUR HEAD-UNIT JUST YET

Easily tap into your factory head unit with the "FLATLINE II" which is an 8-channel hi-end line-output converter that will allow you to add aftermarket products to your OEM stocked vehicle. This unique product will convert your speaker level signal from a factory installed amplifier or head unit to a high quality, low noise pre-amp signal with summing options for additional flexibility. Features include: Speaker Level Inputs (300+ watts input), Selectable summed outputs, dash mounted remote with volume control and I POD/Aux input switching, Built-in 9V line driver, woofer level control, auto turn on sensing inputs and level matching controls, 8 selectable RCA level outputs.



"Image may change upon production"

HI-LOW - THE SIMPLE SOLUTION!

Our Hi-Low Converter will tap into your high level speaker input leads and convert the signal to RCA allowing you to keep factory radios or simply add a subwoofer by tapping into your existing speaker leads. Features include an "auto sensing turn on" for newer vehicles head-units lacking a remote wire to activate the amplifier.



CAPACITORS

2 & 4 Farad Digital Capacitors

The Cap 2 is our entry level capacitor and sets a new standard with an industry low ESR and rated capacitance of 2 Farad in a compact design featuring 3 Red LED's to monitor your systems voltage. For more demanding of systems we have our CAP 4 that will handle higher end systems with a capacitance of 4 Farad and also features a 3 digit display that will protect your amplifiers by indicating constant voltage.



AMPLIFIER ACCESSORIES

Remote Gain Knobs

Complete your system with Massive Audio's amplifier gain remotes. The Massive gain remotes will allow you to control your woofer output channel from the drivers chair for when you need that quick mute or simply want to reduce your low end output without fussing with your EQ or head units volume controls. Models include: DBR, VBR, NBR and D-REMOTE



SIGNAL PROCESSORS & EQ'S

7 Band Graphic Equalizer / 4 Band Graphic "ALL-In-One" Equalizer

Introducing the new Massive Audio EQM multiple media control center. This is an ALL-IN-ONE 4 channel three band graphic EQ that will allow for easy MP3, USB or M.I. cable connections. Features include: Front mounted independent volume control and Play, FF, RW, Pause controls for the USB interface. A quarter inch jack input, a rear RCA AUX with top mounted gain adjustments plus a front AUX microphone with volume control offer total command and flexibility. Also included are Front/Rear Fader, Master Volume, Sub, Low, Mid & High controls. The EQ 7 is a powerful 7 band graphic EQ that gives you as many tweak-able options as possible and features a switch to change the LED's from red to blue allowing you to match your vehicles interior. All models also feature 8v built line drivers that boost your line output voltage insuring the cleanest sound.





MASSIVE AUDIO INC.

P . O . B o x 2 5 2 0 0 4 L O S A N G E L E S . C A 9 0 0 2 5 U . S . A .

T E L : 3 2 3 . 2 6 2 . 2 2 6 2 F A X : 3 2 3 . 2 6 2 . 6 2 0 2 W E B : WWW.MASSIVEAUDIO.COM

Due to constant improvement, features, pictures and specifications are subject to change without notice. Copyright 2012 Massive Audio Inc. all rights reserved.